



- ARCHITECTURAL LEGEND**
- 2x4 STUD WALL 1/2" GYP. BD. DRYWALL EACH SIDE; EXTEND TO FLOOR ABOVE
 - STUD WALL AS ABOVE WITH SOUND BLANKETS - SEE 09250.
 - NEW CONCRETE MASONRY UNIT WALL 1/2" GYP. BD. ON FURRING (WHEN SHOWN)
 - EXISTING BUILDING WALL

- NOTES:**
1. REMOVE EXIST. CARPETING.
 2. REMOVE EXIST. CEILING AS NECESSARY.
 3. DISCONNECT WATER & SEWER PIPING. REMOVE AS NECESSARY.
 4. REMOVE EXIST. 4" CMU WALLS OF TOILET ROOMS.
 5. PROVIDE 2x2 FURRING; 2" STYROFOAM INSULATION BETWEEN STRIPS; 1/2" GYP. BD. ABOVE FIN TUBE EXTERIOR WALLS & MARBLE ROOM 105 & 106.

REVISIONS			DRAWING	
NO.	DATE	DESCRIPTION	DATE	JOB NO.
			5-22-89	8815

ALTERATIONS TO SUGAR GROVE COMMUNITY BUILDING 141 MAIN ST. SUGAR GROVE, IL 60554		DES. DR. CHKD.
ROBERT A. WARREN & ASSOCIATES ARCHITECTS & ENGINEERS AURORA ILLINOIS		DRAWING A2 OF 5